



Kent County Road Commission

INVITATION TO BID

Bids will be received by the Board of County Road Commissioners of the County of Kent, 1500 Scribner Avenue NW, Grand Rapids, Michigan 49504 until **Tuesday, February 1, 2022, 8:30 AM deadline**, at which time they will be publicly opened and read.

Contract #22-10: Rental of Eight Foot Asphalt Paver

All bids are to be emailed to bids@kentcountyroads.net, with the subject “**Contract #22-10: Rental of Eight Foot Asphalt Paver**” and must be received prior to **8:30 AM on Tuesday, February 1, 2022**.

If email is not accessible for you to send KCRC your bid, and you require accommodations, please contact purchasing@kentcountyroads.net or (616) 242-6928. KCRC will work with you to make sure you have the opportunity to submit your bid.

The Board reserves the right to reject any and all Proposals or to waive irregularities therein, and to accept any Proposals which, in the opinion of the Board, may be most advantageous and to the best interest of the County. This contract will be considered for award on **February 8, 2022**.

BOARD OF COUNTY ROAD COMMISSIONERS
OF THE COUNTY OF KENT

By: Mark E. Rambo, Chair

If you plan to submit a bid, please acknowledgment the receipt of this invitation to bid by emailing purchasing@kentcountyroads.net. This allows for KCRC to be in contact with you for any future communication throughout the bid process.



Kent County Road Commission

INSTRUCTION TO RESPONDENTS

Proposals will be opened at the offices of the Board of County Road Commissioners of the County of Kent, State of Michigan located at 1500 Scribner Avenue NW, Grand Rapids, MI 49504.

Refer to the **INVITATION TO BID** for the exact timing and for the identification of the bid as related to furnishing materials, services, equipment, work and/or supplies with the terms, conditions, specifications, drawings, plans, and special provisions as stated herein and hereto attached.

The Kent County Road Commission's process is to open and read the proposals, and then refer the bids to Staff for tabulation and analysis. During this period, the files are closed until this action is complete. Copies of the bid tabulations are made available only once the review is complete, upon the request to Purchasing, by email at purchasing@kentcountyroads.net.

1. All bids must be submitted on the Board's bid form that was provided. The bid shall be legibly prepared in ink or typed out. Erasures or alterations must be initialed by the respondent.
2. Specifications and plans should not be returned with bid, unless otherwise stated herein.
3. Proposals shall be sent to KCRC by email to bids@kentcountyroads.net. If the email is not applicable for the respondent to submit their bid, please contact Purchasing for assistance.
4. Proposals will not be accepted after the time designated for the opening of the bids. The respondent shall assume full responsibility for delivery of proposals prior to the appointed time for opening same and shall assume the risk of late delivery or non-delivery regardless of the manner he/she employs for the transmission thereof.
5. No responsibility shall attach to the Road Commission or their representatives for premature opening or non-receipt of any proposal which is not properly addressed, delivered, or identified. A confirmation of receipt of emailed proposals received will be sent.
6. It is understood the Board is a governmental unit, and as such, is exempt from the payment of all state and federal taxes, except as allowed by the regulatory agencies to be included in the cost of materials and services.
7. The respondent, by submission of a proposal, declares the proposal is made without collusion with any other person or entity, and agrees to furnish all items and services in strict adherence with all applicable federal, state and local laws, regulations, codes and ordinances.
8. The Board reserves the right to reject any and all proposals, to waive any irregularities therein, and to accept any proposal which, in the opinion of the Board, may be most advantageous and to the best interest of the Kent County Road Commission. In case of error, in the extension of prices in the proposal or other arithmetical error, the unit prices will govern.

**Specifications for Contract #22-10:
Rental of Eight Foot Asphalt Paver**

It is the intent of the Kent County Road Commission to rent a self-propelled asphalt paver for a minimum of 6 months (approximately May-October) for two years, 2022 and 2023, with an additional two-year renewal option.

General Specifications

A. Type

1. Vogele Super 1700
2. Carlson CP130
3. Alternate bids will not be accepted or read without prior authorization from Steve Roose, Director of Equipment. If you have a product that you feel is an alternate to the product specified, contact Steve at (616) 242-6955 or cell # (616) 481-5368 or sroose@kentcountyroads.net for consideration of such product as soon as possible and prior to the bid opening.
4. Prior to any decision on award of bid, equipment must be available for demonstration.

B. Insurance:

1. Insurance to be provided by Kent County Road Commission.

C. Repairs:

1. Dealer to be responsible for all mechanical repairs and for all scheduled routine maintenance as oil, grease and other fluids, within 2 hours of the request or issues.
2. Dealer to provide a replacement machine of equal make, model and functionality at no added cost to the Kent County Road Commission if the paver is down and out of service for more than 48 hours.
3. Road Commission to be responsible for daily maintenance of fluids

D. Rental Rate:

1. Must be based on flat monthly rate.

E. Non-Usage Periods:

1. Include terms for periods of non-usage on bid form and any changes associated with the non-usage options:
 - A. Stored at KCRC
 - B. Turned back into dealer

F. Terms:

1. Other terms of agreement must also be shown.

G. Delivery:

Must be delivered by April 1st of each year, weather permitting.

H. Literature:

Operator's Manual must be included with bid.

I. Award of Bid:

At the time of award, a "Letter of Intent" will be sent to successful bidder(s) with a purchase order issued only upon the actual date of commencement of rental, as required.

J. Renewal Options:

The Road Commission reserves the right to renew the contract for an additional two-year period (2024 & 2025) upon mutual agreement of both parties. Pricing, terms and conditions of the first two-year contract will remain the same for the two-year renewal period.

K. Submission of bid will be construed as a conclusive presumption that the Contractor is thoroughly familiar with the bid requirements and specifications and that he/she understands and agrees to abide by each and all of the stipulations and requirements contained therein.

L. "The KCRC, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 USC 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of gender, disability, race, color, or national origin in consideration for an award."

During the performance of this contract, the contractor, for itself, its assignees and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

1. **Compliance with Regulations:** The contractor shall comply with the Regulations relative to non-discrimination in Federally-assisted programs of the Department of Transportation, Title 49, code of Federal Regulations, Part 21 as they may be amended from time to time, (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
2. **Non-discrimination:** The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor shall not participate either directly or indirectly in the discrimination prohibited by section 21.5 of the Regulation, including employment practices when the contractor covers a program set forth in Appendix B of the Regulations.

3. **Solicitations for Subcontracts, Including Procurements of Materials and Equipment:** In all solicitations either by competitive bidding or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract and the Regulations relative to non-discrimination on the grounds of race, color, or national origin.
4. **Information and Reports:** The contractor shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Kent County Road Commission to be pertinent to ascertain compliance with such Regulations or directives. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the contractor shall so certify to the State highway department, or the Federal Highway Administration as appropriate, and shall set forth what efforts it has made to obtain the information.
5. **Sanctions for Non-compliance:** In the event of the contractor's non-compliance with the non-discrimination provisions of this contract, the Kent County Road Commission shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - (a) Withholding of payments to the contractor under the contract until the contractor complies, and/or
 - (b) Cancellation, termination or suspension of the contract, in whole or in part.
6. **Incorporation of Provisions:** The contractor shall include the provisions of paragraphs (1) through (6) in every subcontract, including procurement of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto. The contractor shall take such action with respect to any subcontract or procurement as the Kent County Road Commission may direct as a means of enforcing such provisions including sanctions for non-compliance: Provided, however, that, in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the contractor may request the Kent County Road Commission to enter into such litigation to protect the interests of the County, and, in addition, the contractor may request the State highway department to enter into such litigation to protect the interests of the State and/or the United States to enter into such litigation to protect the interests of the United States.

**Technical Specifications/Bid Pricing Sheet for
Contract #22-10: Rental of Eight Foot Asphalt Paver**

Make _____ Model _____ Year _____

Maximum hours on hour meter _____

	Meets Specs	Deviations	KCRC Rec'd
Manufacturer and Model:			
Vogele Super 1700			
Carlson CP130			
Or equivalent			
Operating Weight (dry):			
22,500 lbs. minimum – 25,000 lbs. maximum			
Engine:			
Diesel			
130 HP			
Muffler, silent pack			
High water temperature/low oil pressure safety alarms			
Fuel Reservoir:			
Enough to run 8 hours			
Hopper:			
9-1/2 ton capacity minimum			
Dual slat type conveyor. Each conveyor must operate independent with automatic/manual cutoffs.			
Underside of conveyor shall be open to ground			
Conveyor drive chains must be capable of being adjusted for tensioning and must be manufactured of all steel components.			
Paving Widths:			
Standard paving width of 8-15 feet – capable of one (1) foot heated bolt on either side for maximum paving width of 17 feet			
Paving Depth:			
Operator controlled 0 to 8 inches			
Screed:			
Full free floating, with hydraulic tow point control			
Constructed with a minimum of 3/8 inch thick minimum 400 Brinell hardness steel			

Bolt on bull nose type screed plate			
Power depth control			
Screed Heat:			
Screed is to be electrically heated			
Screen Vibration:			
Screed is to be equipped with hydraulic vibrator capable of producing a minimum of 3,000 vibrations per minute, while being operator variably controlled.			
Screen Extensions:			
Equipped with two (2) 45 inch minimum full screed extensions			
Hydraulically operated			
Each extension shall be equipped with separate controls for sloping the extension			
Extensions must have bolt on replaceable 400 Brinell hardness screed plates			
Extensions will be equipped with 9 inch diameter extendable/reversible augers ½ inch thick flights			
Extensions shall be designed so that they are heated and vibratory			
Strike offs will not be acceptable			
Extension end gates must be adjustable and Spring loaded			
Screed Crown/Invert:			
Screed will be equipped with a crown/invert adjustment, allowing at least 3 inches crown and 1 inched invert			
Screed will be equipped with a leveling indicator			
Integrated 18" berm			
Washdown System:			
Independent hoses and spray nozzles for wash down with electric pump			
Operator Controls:			
Equipped with two operator stations with arm rest controls for full control of the machine and no obstruction in front of operator			
To be equipped with 7 inch touch screen display for all gauges and engine data			
Electric over hydraulic steering levers on both operator stations			
Run/Pause switch will be on both operators stations, for immediate disengagement of the			

hydrostatic drive system			
Seat with armrest and stand. Large with swivel seat bracket, fold-up foot pedestals (pair)			
Steering:			
Left or right side of the machine			
Hitch:			
In wheel truck hitch, oscillating & sliding			
Lighting:			
Two screed mounted lights and two cab mounted lights			
Material Augers:			
Equipped with two (2) independently operated automatic reversible hydraulic augers constructed of replaceable 7/8 inch Brinell 500 steel flights. Augers are to be 13 inch diameter			
Equipped with adjustable under auger damper doors that slide horizontally			
Hydraulic Reservoir:			
Minimum of 22 gallon with sight level and temperature gauge			
Hydraulic System:			
Variable displacement closed loop for augers and conveyors and variable displacement for all other hydraulic functions			
Track Drive System:			
Equipped with hydrostatic powered self-cleaning and self-adjusting tracks			
Must be rubber tracks or steel with poly pads			

Specifications for Contract #22-10:
Rental of Eight Foot Asphalt Paver

Non-usage period terms:

1. Stored at KCRC _____
2. Turned back into dealer _____

Other terms favorable to Road Commission _____

Rental rate: \$ _____ **Per Month**

Company Name _____

Company Address _____

Telephone Number _____ Fax Number _____

Email _____

Authorized Signature and Title _____

written

typed/printed

Date _____

Federal Employer ID Number _____

Note: Questions regarding specifications should be directed to Steve Roose, Director of Equipment, at (616) 242-6955.